

PureProtect Pty Limited [www.pureprotect.com.au](http://www.pureprotect.com.au)

**Australian Head Office:** Suite 1, Level 1, 267 - 277 Norton Street, Leichhardt, Sydney, NSW 2040, Australia (Ph: 1800 664 376)

**New Zealand Head Office:** Level 3, 325 Broadway, Newmarket, Auckland, New Zealand (Ph: +64 9 524 6861)

**MATERIAL SAFETY DATA SHEET  
ZOONOCIDE (ZONO) Z71 AEROSOL**

**PAGE 1**

**EMERGENCY TELEPHONE:**

NEW ZEALAND SUPPLIER:

ECOASSIST, 29B HANNIGAN DRIVE, ST JOHNS, AUCKLAND.

TELEPHONE: (+64) 9 570 0594

FAX: (+64) 9 570 0594

**EMERGENCY TELEPHONE: (+64) 021 611 855**

COATING SYSTEMS LABORATORIES INC. (800) 424-9300 (CHEMTREC)

211 E. CHILTON DR. (888) 777-0898 (INFORMATION)

CHANDLER, AZ 85225 USA. (480) 503-0267 PREPARED: 11/14/2005

**1 PRODUCT IDENTIFICATION**

PRODUCT IDENTIFICATION: Z-71 ZOONOCIDE<sup>®</sup> AEROSOL

CHEMICAL FAMILY: ORGANOSILANE SOLUTION

CHEMICAL NAME: ORGANOSILANE IN WATER

NZ SUPPLIER: ECOASSIST, 29B HANNIGAN DRIVE, ST JOHNS, AUCKLAND.

PRODUCT USE: AN ANTIMICROBIAL COATING THAT SANITISES AND INHIBITS THE GROWTH OF BACTERIA AND VIRUSES ON A VARIETY OF SURFACES

**2. HAZARD IDENTIFICATION**

This substance is hazardous according to the *HSNO (Minimum Degrees of Hazard) Regulations 2001*  
ERMA Approval Code: HSR002515 Aerosol (Flammable Group Standards)

<i>HSNO Classification</i>	<i>Hazard Code</i>	<i>Hazard Statement</i>
2.1.2A		Flammable Aerosol.
6.4A	H320	Causes eye irritation.

***Prevention***

<b>Code</b>	<b>Prevention Statement</b>
P103	Read label before use.
P264	Wash hands thoroughly after handling.
P280	Wear gloves and eye protection
<b>Response Code</b>	<b>Response Statement</b>
P332 + P313	If skin irritation occurs: Get medical advice/ attention
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.
<b>Disposal Code</b>	<b>Disposal Statement</b>
P501	Do not reuse empty containers. Triple rinse and then re-cycle

**MATERIAL SAFETY DATA SHEET**  
**Z-71 ZOONOCIDE AEROSOL – Contd...**

PAGE 2

**3 PRODUCT COMPONENTS**

Ingredients	Wt%	CAS NUMBER.
Liquid petroleum gas	30- 40%	68475-59-2
Ethyl alcohol	50-60%	64-17-5
Octadecylaminodimethyltrihydroxysilyl propyl ammonium chloride	0.6- 0.7%	27668-52-6
Chloropropyltrihydroxysilane	0.02 -0.4%	2530-87-2
Water	11-12%	7732-18-5

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

**4 PHYSICAL DATA****PRODUCT INFORMATION:**

BOILING POINT : 100/C % VOLATILE BY VOLUME : >99  
 VAPOUR PRESSURE (25 C) : 100mm EVAPORATION RATE : <1  
 VAPOUR DENSITY (AIR=1) : >1 (BUTYL ACETATE = 1)  
 FREEZING POINT : 0/ C SPECIFIC GRAVITY : ~1  
 MELTING POINT : 0/ C (WATER = 1)  
 PHYSICAL STATE : LIQUID  
 ODOUR : SLIGHT  
 COLOUR : CLEAR  
 SOLUBILITY IN WATER : NA

**5 FIRE AND EXPLOSION DATA**

THERE IS A MODERATE RISK OF AN EXPLOSION FROM THIS PRODUCT IF IT IS INVOLVED IN A FIRE. FIREFIGHTERS SHOULD TAKE CARE AND APPROPRIATE PRECAUTIONS.

UN No : 1950  
 DANGEROUS GOODS CLASS: 2.1 Flammable Gas  
 SUB RISK CLASS : None allocated  
 PACKAGING GROUP: 3  
 POISONS SCHEDULE: Not scheduled  
 FLASHPOINT: Not available  
 FLAMMABILITY LIMITS: Not available  
 EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, foam, water fog. Water fog or fine spray is the preferred medium for large fires.

**MATERIAL SAFETY DATA SHEET  
Z-71 ZOONOCIDE AEROSOL – Contd...**

**PAGE 3**

**SPECIAL FIREFIGHTING PROCEDURES:**

If a significant quantity of this product is involved in a fire, call the fire brigade. Immediately evacuate the area of unnecessary personnel. When fighting fires involving significant quantities of this product, wear safety boots, non-flammable overalls, gloves, hat, goggles and self contained breathing apparatus. All skin areas should be covered. Ensure that no spillage enters drains or water courses.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:**

Fire decomposition products from this product may form toxic mixtures in confined spaces. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances.

**STABILITY:** This product is unlikely to spontaneously decompose.

**POLYMERISATION:** This product is unlikely to spontaneously polymerise.

**DECOMPOSITION PRODUCTS:** Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

**MATERIALS TO AVOID:** Strong oxidising agents.

**HAZARDS FROM DECOMPOSITION PRODUCTS:** None

**NOTE:** This product is classed as a Dangerous Good. We suggest you consult your Dangerous Goods laws in order to clarify your obligations regarding the storage of this product.

**MATERIAL SAFETY DATA SHEET  
Z-71 ZONOCIDE AEROSOL – Contd...**

PAGE 4

**6 ACCIDENTAL RELEASE MEASURES:**

**LAND SPILL OR LEAKS:**

Wipe, soak up in an inert material and put in an container for disposal. Wear proper protective equipment. Warn other workers of spill. In the event of a major spill, prevent spillage from entering drains or water courses. Evacuate the spill area and deny entry to unnecessary and unprotected personnel. Immediately call the Fire Brigade. As a minimum, wear overalls, goggles and gloves. Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiclite or other suitable absorbent material. Sweep up and shovel or collect recoverable product into labeled containers for recycling or salvage, and dispose of promptly. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this MSDS and the label, instructions on the label prevail. Dispose of only in accord with all regulations

**7 HANDLING AND STORAGE:**

**APPROVED HANDLERS:** NOT REQUIRED

**PRECAUTIONS FOR SAFE HANDLING:** NO SPECIAL PRECAUTIONS

**CONDITIONS FOR SAFE STORAGE:** Store in original tightly closed above 0 °C and below 30°C in a secure area inaccessible to children and away from food or feed. Keep container closed when not in use. Avoid contact with eyes

**8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

**WORKPLACE EXPOSURE STANDARDS (Provided for Guidance Only)**

SUBSTANCE:	TWA	STEL	
	CAS # (a)	ppm (b) mg/m3 (c)	ppm (b) mg/m3 (c)
3-(trimethoxysilyl) Propyldimethyl octadecyl ammonium chloride	27668-52-6	Not found	Not found
Chloropropyltrihydroxysilane	2530-87-2	Not found	Not found
Ethanol	64-17-5		

**MATERIAL SAFETY DATA SHEET  
Z-71 ZOONOCIDE AEROSOL – Contd...****PAGE 5**

Workplace Exposure Standard - Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure.

Workplace Exposure Standard - Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15 - Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply.

**ENGINEERING CONTROLS:** For Industrial use. Eyewash stations must be available In industrial situations, concentration values below the TWA value should be maintained. Values may be reduce by process modification, use of local exhaust ventilation, capturing substance at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify the process or environment to reduce the problem.

**PERSONAL PROTECTIVE EQUIPMENT:** The following instructions are meant for people coming into frequent and lengthy contact with this product in industrial situations, or when packages are broken or faulty. For domestic use, no special precaution or special clothing is usually required. Respiratory Protection: It is usually safe to not use a dust mask or respirator protection on account of this product. However, if the product is being used in dusty or confined conditions, use of a mask or respirator may be preferred. For help in selecting suitable equipment, consult AS/NZS 1715. Protective Gloves: Protective gloves are not normally necessary when using this product. However, it is always prudent to wear gloves. For help in selecting suitable equipment, consult AS2161. Eye Protection: Protective eyewear is not normally necessary when using this product. However, it is always prudent to use protective eyewear. Consult AS1336 and AS/NZS 1337 for advice on Industrial Eye Protection. Clothing: this product is essentially safe to use without special protective clothing.

## MATERIAL SAFETY DATA SHEET

### Z-71 ZOONOCIDE AEROSOL – Contd...

However, its use is recommended as a good industrial practice. Consult AS2919 for advice on Industrial Clothing.

Safety Boots: wearing safety boots in industrial situations is advisory. Consult AS/NZS2210 for advice on Occupational Protective Footwear.

Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid aerosol
Colour:	Clear
Odour:	Slight
pH:	Approximately 7
Solubility:	Soluble in water. Insoluble in petroleum solvents
Relative Vapour Density (air=1)	>1
Boiling point:	100°C
Freezing Point:	-100 °C
Melting Point:	Not applicable
Appearance & Odour:	Clear colourless liquid. Mild odour..
Melting/softening point:	No specific data. Liquid at normal temperatures.
Boiling point and vapour pressure:	Not available.
Volatile materials:	Slowly volatile at 100C, but > 99% volatile at higher temperatures.
Flashpoint:	Not available
Flammability limits:	Not available
Specific gravity:	0.8
Solubility in water:	Insoluble.
Corrosiveness:	Not corrosive
Vapour Pressure:	No data.
Evaporative rate	As for ethanol.

## 10 STABILITY AND REACTIVITY

Chemical Stability	Stable
Conditions to Avoid	Strong acids and alkalis
Incompatibility	Anionic Materials
Hazardous Decomposition Products:	Carbon Monoxide, Carbon Dioxide, Silicone Dioxide

**MATERIAL SAFETY DATA SHEET  
Z-71 ZOONOCIDE AEROSOL – Contd...****PAGE 7****11 TOXICOLOGICAL INFORMATION**

Acute Oral Toxicity	LD <sub>50</sub> Rat (oral) 12.27 g/kg
Acute Dermal Toxicity	LD <sub>50</sub> Rabbit (dermal) 7.95 g/kg
Chronic Effects	No studies yet available

**12 ECOTOXICOLOGICAL INFORMATION**

HSNO Classifications:	Skin irritant 6.3B, eye irritant 6.4A
Environmental Precautions	This product is not hazardous to the environment

**13 DISPOSAL CONSIDERATIONS**

Do not reuse empty containers. Triple rinse and then recycle.

**14 TRANSPORT INFORMATION**

Classified as a dangerous good for Road, Rail Marine and Air Transport. UN 1950, DG 2.1 Flammable gas.

This product is classed as UN1950, Dangerous Goods Class 2.1 Flammable gases. Proper shipping name is AEROSOLS. Class 2.1 Flammable gases shall not be loaded in the same vehicle or packed in the same freight container with Classes 1 (Explosives), 3 (Flammable Liquids) (where both flammable liquids and flammable gases are in bulk), 4.1 (Flammable Solids), 4.2 (Spontaneously Combustible Substances), 4.3 (Dangerous When Wet Substances), 5.1 (Oxidising Agents), 5.2 (Organic Peroxides), and 7 (Radioactive Substances). They may however be loaded in the same vehicle or packed in the same freight container with Classes 2.2 (Non-flammable Non-Toxic gases), 3 (Flammable liquids except where both flammable liquids and flammable gases are in bulk), 6 (Toxic Substances), 8 (Corrosive Substances) 9 (Miscellaneous dangerous goods), Foodstuffs and foodstuff empties. Not a Scheduled Poison. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames, and make sure that the product does not come into contact with substances above.

**MATERIAL SAFETY DATA SHEET  
Z-71 ZONOCIDE AEROSOL – Contd...****PAGE 8****15 REGULATORY INFORMATION**

ERMA Approved Code: HSR002515

HSNO Controls: A maximum of 1 litre only of this product may be carried on a passenger service vehicle e.g. buses or taxis.

The package must withstand a drop of 0.5m onto a hard surface without losing its ability to retain its contents.

The package must be leak proof when the package is held at its lowest point for 30 minutes.

If the packages do not comply with the above the maximum quantity per packing unit is 450 litres. Packaging <2.5 litres for sale to the public must be child resistant.

**16 OTHER INFORMATION**

1. HSNO Approved Code of Practice: Preparation of Safety Data Sheets, September 2006.

**Disclaimer** : This document has been compiled by Ecoassist Ltd on behalf of the manufacturer of the active Zoonocide product and serves as the manufacturer's Material Safety Data Sheet ('MSDS'). It is based on information concerning the product which has been provided to Ecoassist Ltd by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. While Ecoassist Ltd has taken all due care to include accurate and up-to-date information in this MSDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible,

Please contact the New Zealand Manufacturer, Ecoassist Ltd, (64) 9 570 0594 if further information is required.

Issue Date: 15 February 2009

Review Date: 15 February 2014

**ADDITIONAL INFORMATION:**

THIS DATA IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS MADE. THE RECOMMENDED HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTENT OF THE INTENDED USE.

The terms and names Zoono, Zoonocide, GermFree24, PureProtect, PureProtect24, MarineGuard, OdourGuard, AquaGuard, MouldGuard and SurfaceGuard are the Trademarks and Intellectual Property owned by:

- Zoono Pty Limited, Level 3, 325 Broadway, Newmarket, Auckland New Zealand Phone (+64 9 524 6861) and
- PureProtect Pty Limited, Suite 1, 267-277 Norton Street, Leichhardt, Sydney, Australia. (+ 61 2 8571 7500)